
DBPM MaxGauge Database Performance Monitoring Data Artist Group Exem



# Manage Database System Availability and Performance with Maximum Efficiency

# **Optimize Database Performance**

As IT advances and mobile environments become ubiquitous, massive volumes of data are generated daily. Stable database operations, the foundation of all IT environments, are now essential. Build a unified monitoring framework and prevent or minimize incidents through real time performance management.



**DBPM** MaxGauge

Data Artist Group Exem

# Why MaxGauge Stands Out

# 25 Years of Proven Expertise, The Standard in DB Performance Management

MaxGauge monitors single or multiple DB environments in real time, rapidly diagnoses bottlenecks, and prevents incidents through proactive performance management. Detect early warning signs in complex DB environments and visually identify bottlenecks between applications and databases for immediate response.



# Global Standard

Exem continues to grow alongside 1,000+ customers across 29 countries worldwide from Database and Full Stack Monitoring to Cloud, Al, and Big Data.

## Countries

29+

# Customers

1,000 +



# Product Highlights




# Manage Complex Databases in a Single View

Monitor performance metrics, real time sessions, resources, and performance trends in one place. View all database information your way and respond to incidents instantly.



# Pinpoint Performance Degradation Causes

Access per-second data and time-range trend graphs for all metrics during performance incidents. Identify and resolve problematic processes and queries faster.



Track SQL performance by date, metric, and instance. Examine daily changes and performance details for specific SQL statements to dramatically improve tuning accuracy and efficiency.



# Resolve Issues Faster with Proactive Monitoring

Detect database anomalies quickly with custom alerts per metric, automatic degradation detection, and scheduled report delivery.

MaxGauge Key Features

Data Artist Group Exem

# Real Time Monitoring

Gain intuitive access to real time data through powerful, user centric UX, even in complex DB environments. Detect and respond to incidents faster.

# Single View

Monitor single DB status with precision in one screen

- Track CPU and memory usage in real time
- Analyze performance metrics and SQL execution details (single DB)
- Analyze time based performance trends with real time alerts (single DB)



# <sup>2</sup> Trend View

Unified monitoring for multi-DB status at a glance

- Compare resource usage across multiple DBs in real time
- Analyze performance metrics and SQL execution details (multi DB)
- Analyze time based performance trends with real time alerts (multi DB)

# 

# RAC View

Professional monitoring for RAC cluster performance

- Monitor Global Lock contention between nodes
- Track workload distribution by node in real time
- Analyze time based performance trends with real time alerts and latency monitoring



# <sup>4</sup> EXA View

Monitor all Exadata components at a glance. Visualize resources by layer (DB, Network, Cell Server) in real time. Quickly diagnose Smart Scan efficiency and SQL resource usage.




# 5 Datapath View

Analyze Elapsed Time, Schema, Program, and SQL proportions bidirectionally across multiple databases (or multiple dates for a single database) with an intuitive UI.



# <sup>6</sup> Top Down Approach

Cross-analyze key metrics (Elapsed Time, Schema, Program, SQL) by DB or date. Pinpoint performance degradation causes rapidly from System to Session to SQL.



MaxGauge Key Features

Data Artist Group Exem

# Integrated Performance Analysis

Systematically diagnose performance degradation timing and root causes through diverse analysis functions. Access specialized analysis capabilities including Trend analysis, comparison analysis, execution plan tracking, and RAC-Exadata diagnostics.

# 1 Trend Analysis

Rapidly detect anomalies in peak periods based on metrics and Wait Events

- Explore peak causes with 1-DAY Summary
- Deep dive analysis based on per-second granularity
- · Query SQL and sessions by condition
- Review performance and parameter change history



# Power Comparison

Compare degraded periods with normal periods to identify incident causes


- Analyze Top SQL ranking changes versus baseline date
- Compare performance changes by module/ program
- Analyze peak time differences versus same historical period
- Compare metrics across RAC nodes for selected dates

# | Company | Comp

# Plan Change History

Identify SQL execution plan change points and analyze causes and performance impact


- · Query Plan change history
- Compare before/after performance
- Compare performance across Plans: execution time, workload, CPU
- Analyze change factors: Index, Statistics, etc.



# A RAC-EXA Analysis

Analyze Exadata and RAC performance data to precisely diagnose bottlenecks and performance by node, cell, and layer

- Query metrics history for Database, Cell Network, Cell Server layers
- Compare key resources by RAC node: CPU, memory, session, I/O
- Track Exadata specific metric changes: Smart Scan, Flash Cache
- Identify performance imbalances and abnormal patterns across nodes and cells



# Analysis Report

Auto generate reports summarizing daily, weekly, and monthly performance trends. Visualize SQL bottleneck periods and resource anomaly points by time to quickly identify issues and share via reports.

# Daily & Long-Term Report

Precisely analyze daily and periodic performance trends based on all metrics and Top-N data


- Provide daily/weekly/monthly/yearly performance summary reports
- Support automated report delivery and multi format downloads

	RAC1V		00:59										Top SQL Analy	unis						
W (%		**											Top SQL Ordered by Elapsed Time							
O (8)															esponding SQL to entire SQ					
0																	Happed	House	_	Elapsed Time /
0													SQL ID				Time (%)			
		Α.											adygk0r9s5mj		orade@weheheh1 (M000	MMON_SLAVE	10%	39	763	
		/\									-	-AUG	Oqc1hv1q61pu6	SYS	orsagent.bin@weheheh1	craagent bin@weheheh1	8%	32	636	
		11									-	-MAX	5wwkp7spyq2fn	MAXIGAUGE	JOSC Thin Client	JDBC Thin Clent	6%	26	375	
	-		~			-		_		~			5/09/qiu/9/311	SYS		orangent bin Dweheheht	2%	13	254	
•	-	_	_	-	-		_			-			6jp5s1huussay	MAXGAUGE	JOSC Thin Client	IDSC Thin Client	3%	12		
	1 2		6.7	1.2	10 11			43.44					7you88n60gh	51/5	orangent.bin@weheheh1	craegent bin@weheheh1	2%	11	221	
-					20, 21			27 28	20 20 .				3y6pgnk2ubw7g		orade@weheheh1 (M000	MMON, SLAVE	2%	9		
												11	asygk0r9s5xuj		oracle@weheheh1 (M001	MMON, SLAVE	2%	9	162	
G	18.5	17,1	17	16.8	18.1	16.9	17	16.6	16.8	16.8	16.7	16.7	92g9qd9bm4spu	MAXGAUGE	JOSC Thin Client	JDBC Thin Client	2%	9	162	
Х	70.1	25.9	21.5	19	71.3	20.9	26.2	19.6	19	20.2	19	19.7	bkg8pjcfim8vn	MAXIGAUGE	JOSC Thin Client	IDBC Thin Client	2%	ė	125	
												23	acc900upymmt		oracle@weheheh1 (M000	WWON SLAVE	1%	6	1	
	17	16.7	17	16.7	16.9	16.8	17.8	16.8	16.7	16.9	17.4	17	clumxngkclbyq		oracle@weheheh1 (M001	MMON_SLAVE	1%	6	114	
	26.3	20.2	22.7	19.3	20.3	19.5	26.0	20.4	10	27.3	22.4	23.1	357crub/pih55		orade@weheheht (M000	MMON, SLAVE	174		105	
													tuws5boohls2ph		oracle@webebeh1 (M000	MMON SLAVE	7%	5	101	
ve :	essions	(count)											5k5207588w9ry		oracle@weheheh1 (M000	MMON_SLAVE	1%		63	
re :	iessions	(count)											SkS207588w9ry 7kmbrw7q8hn4g		oracle@weheheh1 (M000 oracle@weheheh1 (M000		1%	5	63	
re!			-			_	_	_								MMON_SLAVE		5 5 4		
re :	iessions		-				-	-					7kmbrw7q8hn4g		oracle@wwheheh1 (M000	MMON, SLAVE	1%	5 5 4	90	
ve :			-	-		ш	-	14		-			7kmbrw7q8hn4g bb626a5dxb8kr		orade@weheheh1 (M000 orade@weheheh1 (M000	MMON, SLAVE MMON, SLAVE MMON, SLAVE	1%	5 5 4 4	90	
re :			-			ш	-	-		-		AVG	Tembru/Tqthr4g 86606a5dcb8kr dttkcnqfystw		orade@weheheh1 (M000 orade@weheheh1 (M000 orade@weheheh1 (M001	MMON, SLAVE MMON, SLAVE MMON, SLAVE	1% 1% 1%	5 5 4 4 4	90	
ve :			4			-		14				-ANG -MAX	Tkmbrw1q8hn4g bb928a5dcb8kv dffkcnqfystw dvhrf0qzvsjv	MANGAUGE	orade@weheheh1 (M000 orade@weheheh1 (M000 orade@weheheh1 (M001 orade@weheheh1 (M000	MMON, SLAVE MMON, SLAVE MMON, SLAVE	1% 1% 1% 1%	5 5 4 4 4	90 56 7	
re :			-			ш		14					Tkmbrw1q8hn4g bb928a5dcb8kv dffkcnqfystw dvhrf0qxsjv 4ghvdvs2a8mf	MAXGAUGE	orade@wehehelt (M000 orade@wehehelt (M000 orade@wehehelt (M000 orade@wehehelt (M000 orade@wehehelt (M000	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE JOSC Thin Client	1% 1% 1% 1% 1%	5 5 4 4 4 4	90 56 7 1 67	
=			-								-		Tembru7q8hn4g bb528a5dcb8kr dffkcnqfystw Ouhrf0qxnjv 4ghvdvct2ubrif 11n493ddb6kr	MAXGAUGE MAXGAUGE	oracle@weheheh (M000 oracle@weheheh (M000 oracle@weheheh (M000 oracle@weheheh (M000 oracle@weheheh (M000 000C Thin Client	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE JOSC Thin Client	1% 1% 1% 1% 1% 1%	5 5 4 4 4 4	90 56 7 1 67	
re :			6 7		20 11 1					11 12 1	-		Tembrin7qBhn4g 85925450088r dfflichighythi Oshirfligsnijv Aghvdiris2a5mf 11n493dfblier 2n0g624h8zpnu		oracle@weheheh (M000 oracle@weheheh (M000 oracle@weheheh (M000 oracle@weheheh (M000 oracle@weheheh (M000 0/300 This Client oracle@weheheh (M000 oracle@weheheh (M000	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE JOBC Thin Cleat	1% 1% 1% 1% 1% 1% 1%	5 5 4 4 4 4 8	90 56 7 1 67 74	
=			11	11									Tembrin7qBhnAg bedsas5dibakir dttScnopydw dwhrf0grinyir AghidivitSubrif 11n46985dwir 2htgb34485phu dsghgd9bmAspu	MAXSAUSE	oradie@weheheht (M000 oradie@weheheht (M000 oradie@weheheht (M000 oradie@weheheht (M000 oradie@weheheht (M000 J08C This Client oradie@weheheht (J000) J08C This Client	MMDIN_SLAVE MMOIN_SLAVE MMOIN_SLAVE MMOIN_SLAVE MMOIN_SLAVE JOBC Thin Client JDBC Thin Client	1% 1% 1% 1% 1% 1% 1% 1%	5 5 4 4 4 4 4 9 9 9	90 56 7 1 67 74 1 08	
	1 2 1		6.7	1 1								-MAX	Tembru TigBhn Ag B6038500887 dfffennghybu Oshr Mograpy Aghvid vt 238mf 11n4935fbdwr 2hige 24hidzenu 82gbg 090m Aspu Sweley Tspygžfn	MAXGAUGE MAXGAUGE	oradia@wwhaheh1 (M000 oradia@wwhaheh1 (M000 oradia@wwhaheh1 (M000 oradia@wwhaheh1 (M000 oradia@wwhaheh1 (M000 J06C Thin Client oradia@wwhaheh1 (I000) J06C Thin Client J06C Thin Client	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE JOBC Thin Client	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 4 4 4 4 9 9 9	90 56 7 1 67 74 1 68 52	
0	1 2 3	4 1	6 7		20 21 2	2 13 14	1 15 16	37 38 7	19 20 1	11 22 2	10	-MAX	Tembrin7qBhnAg Bb605835dc866r dTffcongfythe Onthogonyi Aghidoxi523self 11n493dfb6er 2h0gb34h65pnu 9sgbc95mAspu 5milip71pyq2fh 8s5evpcdyg98k	MAXGAUGE MAXGAUGE	oracle@wwhaten (M000 oracle@wwhaten (M000 oracle@whaten (M000) oracle@whaten (M000	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE IDBC Thin Client IDBC Thin Client IDBC Thin Client IDBC Thin Client IDBC Thin Client MMON, SLAVE	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 4 4 4 4 9 9	90 56 7 1 67 74 1 68 52	
	1 2 1	4 5	6 7	2 40	30 11 1	2 13 3	15 16 6	37 38 7	19 29 1	21 22 2	10 40	11 49 34	Tiersbrw?q@n-4g bib038450086v dtfikonglytbu dshrfdgrangv 4ghsdrxt248mf 11 n49935dbslav 200gb3-96spru 3sghqd9km4spu 5mwkg?1syu28m 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h 855pu28h	MAXGAUGE MAXGAUGE	oracle@wehahen (M000 oracle@wehahen (M000 oracle@wehahen (M000 oracle@wehahen (M000 oracle@wehahen (M000 oracle@wehahen (M000 J08C Thin Client oracle@wehahen (J000) J08C Thin Client J08C Thin Client oracle@wehahen (M000 oracle@wehahen (M000)	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE JOSC Thin Client JOSC Thin Client JOSC Thin Client JOSC Thin Client MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 4 4 4 4 9 9 9 9	90 56 7 1 67 74 1 68 52	
0	1 2 5	4 5	6 7 2 48 52	2 40	35 11 1 4 49 52	2 13 3	6 15 16 6 40 53	17 10 7 49 52	19 29 1	21 22 : 9 48 53	10 48 53	11 49 34	Tiembru Tiglinn Ag biotissis Golder attissis of golden Ag biotissis Golder attissis of golden but Agrand with Agrand Agrand with Agrand Agrand with Agrand Agrand With Agrand Biotissis of golden Biotissi of golden Biotissis of	MAXGAUGE MAXGAUGE	orade@wehahahi (M000 orade@wehahahi (M000	MMON, SLAVE JOSC Thin Cleat JOSC Thin Cleat JOSC Thin Cleat MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 5 6 4 4 4 4 4 4 5 5 5 5 5 5 5 5 5 5	90 56 7 1 67 34 1 68 52 60 4	
0	1 2 3	4 5 1 49 53	6 7 2 48 52 14	E 5 48 52 15	30 21 1 4 49 52 16	2 13 3 5 48 51	6 40 53 18	27 28 7 49 52 10	19 20 1 8 48 52 20	21 22 1 6 48 53 21	10 40 53	11 49 54	Tembru Tigitin - Ag bed Sala Sola Sor attacnyl year ohin Tagariya Apin divid Zabrif 1 mag Sala Sola Zabiga Zabrigan Zabiga Zabrigan	MAXGAUGE MAXGAUGE	oude@vehalent (MOD) oracle@vehalent (MOD) oracle@vehalent (MOD) oracle@vehalent (MOD) oracle@vehalent (MOD) JOBC This Client oracle@vehalent (MOD) JOBC This Client oracle@vehalent (MOD) JOBC This Client oracle@vehalent (MOD)	MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE IDEC Thin Clent IDEC THIN CLENT MMON, SLAVE MMON, SLAVE MMON, SLAVE MMON, SLAVE	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 6 4 4 4 4 9 9 9 9 9 9 9	90 56 7 1 67 24 1 1 60 60 4 4	
a x	1 2 3	4 5 40 53 12	6 7 2 46 52 14	1 0 2 40 52 15	30 21 1 4 49 52 16	2 10 10 5 48 51 17	6 49 53 12 49	27 28 7 49 52 10 45	19 20 1 41 42 52 20	21 22 1 9 48 53 21	10 40 53 22	11 49 54 22	Tienbun Tiglitin-Ag biotissische Bur attiscongripus Oshirfotpenipi Aghidvet Zaberf 11 naßische Bur 200gb-14 national 200gb-14 national 200	MAXGAUGE MAXGAUGE	conside Bowkinshish (MOC) oracle Bowkinshish (MOC) oracle Bowkinshish (MOC) oracle Bowkinshish (MOC) oracle Bowkinshish (MOC) (MCC) This Client (MCC) This Client (MCC)	MMON_GLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  IDEC Thin Clent MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 6 4 4 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	90 56 7 7 1 67 34 1 60 60 60 60 4 4 1 24 60	
0	1 2 3	4 1 49 50 11 49 52	6 7 48 52 14 48 52	1 0 2 40 52 15	30 21 1 4 49 52 16	2 10 10 5 48 51 17	6 49 53 12 49	27 28 7 49 52 10 45	19 20 1 41 42 52 20	21 22 1 9 48 53 21	10 40 53 22	11 49 54 22	Tembru Tiglin Ag berössöcks Bru ottschrößerigt obshrößerigt Aghadvet Zastel 1 mar 2 berössöcks Bru 1 mar 2 berössöcks 1 mar 2 b	MAXGAUGE MAXGAUGE	oxide@vehicleft (M000	MMON_GLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  IDEC Thin Clent MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE  MMON_SLAVE	1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1% 1	5 5 4 4 4 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9	90 56 7 7 1 67 34 1 60 60 60 60 4 4 1 24 60	
0 X	1 2 3 0 45 51 52 45 51	4 1 49 50 11 49 52	6 7 48 52 14 48 52	1 0 2 40 52 15	30 21 1 4 49 52 16	2 10 10 5 48 51 17	6 49 53 12 49	27 28 7 49 52 10 45	19 20 1 41 42 52 20	21 22 1 9 48 53 21	10 40 53 22	11 49 54 22	Tember Reflerinde bedrässische der der Kongripter der Kongripter der Kongripter der Kongripter Sinder Staten 11-469 kräbber 11-469 kräbber 11	MAXGAUGE MAXGAUGE	conside goverheiten (MOCO) conside goverheiten (MOCO) conside goverheiten (MOCO) conside goverheiten (MOCO) conside goverheiten (MOCO) (M	MANDA, SLAVE IDEC Thin Client MANDA, SLAVE	196 196 196 196 196 196 196 196 196 196	5 5 4 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9	90 56 7 7 1 67 34 1 60 60 60 60 4 4 1 24 60	
0 0 K	1 2 3 0 45 51 52 45 51	4 1 49 50 11 49 52	6 7 48 52 14 48 52	1 0 2 40 52 15	30 21 1 4 49 52 16	2 10 10 5 48 51 17	6 49 53 12 49	27 28 7 49 52 10 45	19 20 1 41 42 52 20	21 22 1 9 48 53 21	10 40 53 22	11 49 54 22	Tember Paglinský teotha Actober differency prou dokt Pagnov Agridenci Saleri 11 naláší Arbára Teoria Saleri 11 naláší Teoria Saleri Teoria Sal	MAXGAUGE MAXGAUGE	oracle (Swathshall (Mood Oracle (Swathshall (Swathshall (Mood Oracle (Swathshall (Swathsh	MAMON, SUNY MAMON, SUNY MAMON, SUNY MAMON, SUNY MAMON, SUNY DOC Thin Clent MAMON, SUNY	196 196 196 196 196 196 196 196 196 196	5 5 6 4 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	90 55 7 1 67 74 60 60 60 4 1 24 60 53 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
8 0 MX	1 2 3 0 45 51 52 45 51	4 1 49 50 11 49 52	6 7 48 52 14 48 52	1 0 2 40 52 15	30 21 1 4 49 52 16	2 10 10 5 48 51 17	6 49 53 12 49	27 28 7 49 52 10 45	19 20 1 41 42 52 20	21 22 1 9 48 53 21	10 40 53 22	11 49 54 22	Timbered gillindig stationary gillindig distribution gillindig shirt distribution timbered gillindig timbered gillindig timbered gillindig timbered gillindig timbered gillindig distribution	MAXGAUGE MAXGAUGE	consideration (1900) considera	MAMON, SAVE	196 196 196 196 196 196 196 196 196 196	5 5 4 4 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9	900 560 77 74 11 600 52 600 41 124 600 83 83 83 84 84 85 86 86 86 86 86 86 86 86 86 86	

# <sup>6</sup> Hotspot Report

Deep dive reports analyzing resource usage and bottlenecks at performance incident concentration points

- Detailed analysis by Top N SQL and user session
- Identify high density performance issues centered on peak points
- Provide detailed SQL and session queries for accurate root cause identification



MaxGauge Key Features Data Artist Group Exem

# Dashboard

Supporting custom user dashboards as well as commercial and open-source DBMS, enabling rapid incident detection and response even in complex environments.

- Unified monitoring for heterogeneous databases (MSSQL, Oracle, PostgreSQL, etc.)
- · Configure custom dashboards by user role and business purpose
- Visualize real time metrics, alert status, and resource flows at a glance
- Flexibly organize and save views by business unit, system, or instance group

\$11	8									gegregan (			
- 900040A-00										BABAS RA			
9.114	84 6060		## 0000		93 5050	970000		2023	5050				
E AI		31 / 31		24		0	7			0			
Reds							281 0 111						
Cubrid		E060 E								-   6160EW1			
SQL Server	oubrid (ii)		# mangodh (E)	() min		000	o oracle	0	00				
Mysqu.	88	88											
PostgreSQL MongoCB	~~~			•	-								
Cracle	W postgreed (6)		e reds (t)		P squerer (t)								
		^^^											
		©											
	os - ∀	,											
		instance Name	ClusterStale		Heat P	Venion	Status	Alert	CPV Usage (N)				
	A rinease to	Instance Name	empty		10.10.67.209	Talk Marco	Albe	Norte	20.700				
Q 84	Ø spener1 ≥	Instance Name											
Q 84 8 Al	SZ Ingoment >  W 08 demois	Instance Name	empty		10.10.44 JUN 10.10.20.8	15	hate	No.	20.700				
G. 84 S AI S DEM Mongo	© squerer_cov ☆ squerer_t > ₩ 08 demos ₩ ☆ mysql603	Instance Name	engty engty		10.10.47.209 10.10.20.8 0-0597-habijid ap-northwesh 2.rds.ama.	15 15 80.32	hate hate		20.700				
Q. 24 S All S DEM Mongo S D8 deme1	Y spanecus  Y spanecus  Y mystes  Y mystes	Instance Name  22 Dig.  Stringtonce 1 Dig.	empty empty empty		10.10 Ar JOH 10.30 33 B 0-0897-Arbjöl ap-northeast 7 rds ama. -1.0897-Arbjöl ap-northeast 2 rds ama.	15 15 8.032 8.032	tede		27.289 0 0	ST.60			
Q. (3)4 S. All S. DEEM Mongo S. Dill demoil S. Dill demoil	© repensed to	Indiance Home  20 To Stanfance 1 To Stanfance 2 To	empty empty empty empty		rs. 19 Ar John 10.10.20 B o-ch91 Authlick ap-northwest 2 rds. ama. r1. ch91 Authlick ap-northwest 2 rds. ama. 10.10.46.58	15 80.32 80.32 80.32	Testine Testine Testine Testine	North	27 289 0 0 27 275	-			
Q. 234  All  EXEM Mongo  Dil demol  Dil demol  Dil demol	\$ squared by squared b	Indiana Kana  SE Cy  SE extended Cy  SE extended Cy	empty empty empty		10 10 20 20 8 10 10 20 20 8 0 0 00 11 Autolisis age northwest 2 rds ame. 10 00 11 Autolisis age northwest 2 rds ame. 10 10 46 58 10 10 47 208	12 CARRELY 15 6.032 6.032 6.035 6.036	teder teder teder	Sensi	0 0 27 286 27 286 27 286				
Q. (24)  All  CEEM Mongo  Dill demot  Dill demot  Dill demot  Dill demot  Dill demot	\$\text{Standard To }\$\text{Standard Standard To }\$\text{Standard Standard To }\$\text{Standard Standard To }\$\text{Standard Standard Standard To }\$Standard Standard Sta	Indiana Kama  SE C.  SE C.  SE SE C.	empty empty empty empty		rs. 19 Ar John 10.10.20 B o-ch91 Authlick ap-northwest 2 rds. ama. r1. ch91 Authlick ap-northwest 2 rds. ama. 10.10.46.58	15 80.32 80.32 80.32	teder teder teder	North	27 289 0 0 27 275				
Q. D4  AI  DEM Mongo  D8 demol	\$ squared by squared b	Indiana Kama  SE C.  SE C.  SE SE C.	engy engly engly engly engly		10 10 20 20 8 10 10 20 20 8 0 0 00 11 Autolisis age northwest 2 rds ame. 10 00 11 Autolisis age northwest 2 rds ame. 10 10 46 58 10 10 47 208	12 CARRELY 15 6.032 6.032 6.035 6.036	teder teder teder	Sensi	0 0 27 286 27 286 27 286				
Q. 394  All  All  CIEM Mongo  306 demoil  306 demoil  506 demoil	\$\text{Standard To }\$\text{Standard Standard To }\$\text{Standard Standard To }\$\text{Standard Standard To }\$\text{Standard Standard Standard To }\$Standard Standard Sta	TO T	engy engly engly engly engly		10 10 20 20 8 10 10 20 20 8 0 0 00 11 Autolisis age northwest 2 rds ame. 10 00 11 Autolisis age northwest 2 rds ame. 10 10 46 58 10 10 47 208	12 CARRELY 15 6.032 6.032 6.035 6.036	teder teder teder	Sensi	0 0 27 286 27 286 27 286	11.0 11.0 11.0 11.0			
Q 34  All  All  (NEM Mongo  30 demail	₩ 100mmc.com	TO T	6107 6107 6107 6107 6107 6107 6107		10.10.20.8 10.10.20.8 0-0.851-halpid ap-northwest 2-ris ame. 11.0551-halpid ap-northwest 2-ris ame. 10.10.48.9 10.10.48.70 10.10.48.70	15 86.32 86.32 86.32 86.32 86.35 10.25 86.30 10.5 10.75 Maria GP 1.15 6.10 maris—a.	tenter  tenter  tenter  tenter  tenter  tenter  Adm	Sensi Sensi Sensi Sensi Sensi	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
Q 34  All  All  (NEM Mongo  30 demail	\( \frac{1}{2} \) injures (1)	TO T	engy engy engy engy engy		10.104.009 10.102.018 10.102.018 10.0001/hdtpfid.ap-notfheest Zufs.ama. 10.1001/hdtpfid.ap-notfheest Zufs.ama. 10.104.018 10.104.018 10.104.018 10.104.018	15 8032 8032 8030 8030 8030 8030 8030 8030	teder teder teder teder teder Adte	Sensi	27 289 0 0 27 286 27 286 27 286 27 286	100 HO			
Q 34  All  All  (NEM Mongo  30 demail	© representation of the second of the secon	TO T	6-03 6-03 6-03 6-03 6-03 6-03 6-03 6-03		10 344 JBP 10 3258 10	15 8.02 8.02 8.03 10.05	tette  tette		27 289 0 0 27 289 27 286 27 286 27 286 27 286	100 HO			
© 104 Margo SA DEM	\$2 squares (2). \$2 squares (2). \$4 squares (1). \$4 squares (2). \$5 squares (2). \$5 squares (2). \$5 squares (2). \$5 squares (2). \$7 squares (2). \$7 squares (2). \$6 squares (2). \$7 squares (2)	TO T	6-03 6-03 6-03 6-03 6-03 6-03 6-03 6-03		10 344 JBP 10 3258 10	15 8.02 8.02 8.03 10.05	tette  tette		27 289 0 0 27 289 27 286 27 286 27 286 27 286	Manay (in 1818)  1			

# **Extended Support for** Commercial and **Open Source DBMS**

Broad support for major commercial and open-source DBMS (SQL Server, MySQL, PostgreSQL, MariaDB, Tibero, Altibase, etc.) enables unified monitoring and analysis even in complex environments with mixed database types.

# ORACLE



# **Tibero**









# PostgreSQL



# mongoDB




# **Architecture**

# Data Collection

- Deploy lightweight agents on DB servers
- Support 12 DBMS types including Oracle, SQL Server, MySQL
- · Collect performance data with minimal overhead

# <sup>2</sup> Data Storage & Processing

- Store and manage per-second performance data in time series format
- Support long term historical data retention and real time queries
- Real time streaming architecture based on Web Socket



# Presentation

- Web based access via Chrome browser
- · Customizable widget configuration
- Role based access control and IP range restrictions



# **Platform Specs**

### **ORACLE**

#### Web Browser

Browser: Chrome 98 or higher (recommended) Resolution: 1920×1200 (recommended)

#### Monitored DB

ORACLE Version: Oracle 9i or higher (including RAC / Exadata)

PLATFORM: SunOS 5.6+, HP-UX 11.0+ (ITANIUM HPUX11.23), IBM-AIX 4.3+, Compaq Tru64 v5.1+, Redhat Enterprise Linux 6.0+ (CentOS6+), Windows 2003 Server+

#### MaxGauge Collection Server

OS: Windows 2008+ (Build 6.0+), 32/64bit (recommended),

DB: Oracle Enterprise 10g+, 11gR2 (recommended) DB 2: PostgreSQL v15.12

CPU: 8Core (recommended) / 4Core (minimum) RAM: 16GB (recommended) / 8GB (minimum) DISK: Varies by customer Session Data .JAVA: 18+

#### SQL Server

#### Web Browser

Browser: Chrome 98 or higher (recommended) Resolution: 1920×1200 (recommended)

#### Monitored DB

DB Version: SQL Server 2008+ OS: Windows Server 2008+ (Build 6.0+), Redhat Enterprise Linux 7.0+ (CentOS7+) 64bit

#### MaxGauge Collection Server

OS: Windows Server 2008+ (Build 6.0+) 32/64bit (recommended), Redhat Enterprise Linux 7.0+ (CentOS7+)

DB: SQL Server 2008+

CPU: 8Core (recommended) / 4Core (minimum) RAM: 16GB (recommended) / 8GB (minimum) Disk: Varies by customer Session Data

#### DB2/Tibero/Altibase

#### Web Browser

Browser: Chrome 98 or higher (recommended) Resolution: 1920×1200 (recommended)

#### Monitored DB

DB2 Version: DB2 10.5+ Tibero Version: Tibero 5+ Altibase Version: Altibase 5.5+

#### MaxGauge Collection Server

OS: Windows 2008+ (Build 6.0+), 32/64bit (recommended), Linux DB: PostgreSQL v15.12 CPU: 8Core (recommended) / 4Core (minimum) RAM: 16GB (recommended) / 8GB (minimum) DISK: Varies by customer Session Data .JAVA: 18+

# MySQL/MariaDB

#### Web Browser

Browser: Chrome 98 or higher (recommended) Resolution: 1920×1200 (recommended)

#### Monitored DB

DB Version: MvSQL 5.6+, MariaDB 10.0+ OS: Windows Server 2008+ (Build 6.0+), Redhat Enterprise Linux 6.0+ (CentOS6+) 64bit

#### MaxGauge Collection Server

OS: Windows Server 2008+ (Build 6.0+) 64bit, Redhat Enterprise Linux 6.0+ (CentOS6+) 64bit DB: MvSQL 5.7+ official version CPU: 8Core (recommended) / 4Core (minimum) RAM: 16GB (recommended) / 8GB (minimum) Disk: Varies by customer Session Data

# MongoDB

#### Web Browser

Browser: Chrome 98 or higher (recommended) Resolution: 1920×1200 (recommended)

#### Monitored DB

DB Version: MongoDB v3.2+ OS: Redhat Enterprise Linux 7.0+ (CentOS 7+), 64bit

#### MaxGauge Collection Server

OS: Redhat Enterprise Linux 7.0+ (CentOS 7+), 64bit DB: PostgreSQL v15.12

CPU: 16Core+ (recommended) / 8Core+ (minimum) RAM: 32GB+ (recommended) / 16GB+ (minimum) Disk: Varies by customer Session Data

#### SAP HANA DB

#### Web Browser

Browser: Chrome 98 or higher (recommended) Resolution: 1920×1200 (recommended)

#### Monitored DB

DB Version: SAP HANA 2.0 (On-premise)

### MaxGauge Collection Server

OS: Redhat Enterprise Linux 7.0+ (CentOS 7+), 64bit DB: PostgreSQL v15.12 CPU: 8Core+ (recommended) / 4Core+ (minimum) RAM: 32GB+ (recommended) / 16GB+ (minimum) Disk: Varies by customer Session Data

Data Everywhere, Make it Matter

### **Supported Databases**































